

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	94	microwave with digest\$4 with vessel	US-PGPUB; USPAT	OR	ON	2010/10/06 16:35
S2	4	microwave with digest\$4 with vessel and (inlet port) near2 (reagent sample)	US-PGPUB; USPAT	OR	ON	2010/10/06 16:37
S3	35	microwave with digest\$4 with vessel and (inlet port)	US-PGPUB; USPAT	OR	ON	2010/10/06 16:38
S4	5	microwave with digest\$4 with vessel and (inlet port valve) near2 (sample reagent)	US-PGPUB; USPAT	OR	ON	2010/10/06 16:40
S5	21	microwave with digest\$4 and (inlet port valve) near2 (sample reagent)	US-PGPUB; USPAT	OR	ON	2010/10/06 16:41
S6	25	vessel.ti. and microwave with digest\$4	US-PGPUB; USPAT	OR	ON	2010/10/06 16:42
S7	519	microwave with digest\$4 and inject \$3	US-PGPUB; USPAT	OR	ON	2010/10/06 17:03
S8	27	microwave with digest\$4 same inject\$3	US-PGPUB; USPAT	OR	ON	2010/10/06 17:03
S9	10	microwave with digest\$4 with vessel and (inlet port valve) with (sample reagent)	US-PGPUB; USPAT	OR	ON	2010/10/06 17:05
S10	5	kingston.in. and microwave with digest\$3	US-PGPUB; USPAT	OR	ON	2010/10/06 17:09

S11	33	microwave with digest\$4 with vessel and (add\$4 introduc\$4) near2 (sample reagent)	US-PGPUB; USPAT	OR	ON	2010/10/06 17:13
S12	1	microwave with digest\$4 with vessel and (port inlet valve) with (add\$4 introduc \$4) near2 (sample reagent)	US-PGPUB; USPAT	OR	ON	2010/10/06 17:16
S13	1	microwave same digest\$4 with vessel and (port inlet valve) with (add\$4 introduc \$4) near2 (sample reagent)	US-PGPUB; USPAT	OR	ON	2010/10/06 17:17
S14	1	microwave same digest\$4 with vessel and (port inlet valve) with (add\$4 introduc \$4) near2 (sample reagent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 17:17
S15	5	microwave same digest\$4 with vessel and (port inlet valve) near2 (sample reagent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 17:20
S16	32	digest\$4 with vessel and vessel same (port inlet valve) near2 (sample reagent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 17:23
S17	29	digest\$4 with vessel and vessel same (port inlet valve) near2 (sample reagent) and heat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 17:23

S18	6	digest\$4 with vessel and vessel same (port inlet valve) near2 (sample reagent) and heat\$4 and microwave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 17:23
S19	5	kingston.in. and microwave same digest\$3	US-PGPUB; USPAT	OR	ON	2010/10/06 17:26
S20	1	("4947983").PN.	US-PGPUB; USPAT	OR	OFF	2010/10/06 17:29
S21	2	digest\$4 with vessel and vessel same sample adj (port inlet)and heat\$4 and microwave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 17:37
S22	2	digest\$4 with vessel and vessel same sample adj (port inlet) and heat\$4 and microwave	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 17:37

10/ 7/ 2010 4:04:46 PM

C:\ Documents and Settings\ phyun\ My Documents\ EAST\ Workspaces\ 09,262,597. wsp